

ACCEPTED
FOR REGISTRATION

July 29, 2016

New York State Department
of Environmental Conservation
Division of Materials Management
Pesticide Product Registration

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Use Sites: In and around structures, including, but not limited to, residential, multi-family, commercial, industrial, municipal, institutional, research, recreational, health care, educational, daycare, hospitality and agricultural buildings and other man-made structures, garages, transport vehicles, sewers, animal rearing and handling establishments and food handling and food processing establishments.

Indoor Use: Results will be best if spilled food and other debris are cleaned up before applying bait. Apply bait in small spots about 1/4" in diameter. Bait can also be applied in thin lines if appropriate. For most infestations, applications should range from 10 to 20 spots per 100 square feet. Use the higher number of spots when infestations are heavy and/or when roaches are living primarily in wall voids or other inaccessible areas. Smaller, more frequent spots are better than occasional large spots.

Look for areas, particularly cracks and crevices, where roaches may hide or enter buildings. Some of these areas include areas where baseboards are peeling away from the wall, cracks in and around equipment and appliances such as stoves, sinks, dishwashers, refrigerators and walk-in coolers, hollow table legs, areas where pipes come through walls, cracks between different construction elements, around electrical boxes, cracks around hinges, where cabinets meet walls and cracks leading into wall, ceiling or floor voids. Pay particular attention to cracks which lead into void areas, even small ones. Also specifically look for warm, moist areas. Around and under dishwashers, refrigerators, ice machines, sinks, tubs and toilets and around drain openings are particularly attractive areas for roaches. Insert the syringe tip directly into the crack and apply about 0.5g (pea size) amount of bait.

Do not apply bait to areas that are washed down frequently, such as in cracks around the edges of food prep surfaces. Do not apply bait in areas where there is a risk of electrical shock. Be careful not to apply bait on hot surfaces or other areas where the temperature may exceed 130 °F as the bait could melt and drip. Bait placements should be in concealed, not open areas. Do not spray insecticides or other chemicals over bait placements, as this may cause roaches not to eat the bait. Apply bait out of reach of children and pets. Inspect bait placements periodically and reapply bait as needed. Ongoing monitoring is recommended as part of an

Directions continued on left panel

Integrated Pest Management program.

Food Processing and Handling Establishments, Including Federally-Inspected Food Plants: In food areas, including serving areas while the establishment is in operation, only apply bait in cracks, crevices, and other inaccessible areas, or in tamper-resistant bait stations. Follow above directions for crack and crevice placement. Avoid contamination of food and feedstuffs. Never apply bait directly to a surface where food is stored, prepared or served. Any bait that is left visible after treatment must be washed up.

Outdoor Use: Apply bait on the outside surfaces of buildings and other structures, as well as in crawlspaces, attics and other voids. Porches, garages, sheds, AC units and other outbuildings, fences or walls may also need treatment. Pay particular attention to cracks where roaches may enter buildings and treat those areas. These areas include but aren't limited to cracks around windows, doors, eaves and soffits, expansion joints, and areas where lines or pipes enter buildings. Under siding and molding are also attractive areas for insects to hide. Apply bait in spots or lines as indicated for indoor baiting.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.
Storage: Store in a dry place. Do not store where children or animals may gain access.
Disposal: If empty: Non-refillable container. Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP which is managed as a public-private partnership.

InVict Gold
cockroach gel

17% More Bait Per Box
Compared to 4 x 30 g

InVict Gold
cockroach gel™

Kills German Roaches
For Indoor and Outdoor Use • Ready-to-Use Bait

Active Ingredient: Imidacloprid.....2.15%
Other Ingredients:.....97.85%
Total:.....100.00%

STOP - READ LABEL BEFORE USE
KEEP OUT OF REACH OF CHILDREN
CAUTION

EPA Reg. No. 73079-10
EPA Est. No. 73079-MO-1
Net Contents: 4 x 1.25 oz (35 g) Bait Syringes
See right side panel for Precautionary Statements.

Manufactured by:

Rockwell Labs Ltd
creating the future of pest control
1257 Bedford Ave
North Kansas City, MO 64116
Phone: 816-283-3167 • www.rockwelllabs.com

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals:

CAUTION: Causes slight skin and eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after use and before eating, drinking, chewing gum, using tobacco or using the toilet.

Warranty Limitations and Disclaimer

To the extent consistent with applicable law, seller makes no warranty expressed or implied, concerning the use of this product other than as indicated on the label. Buyer accepts this material subject to these terms, and assumes all risk of usage and handling except when used or handled in accordance with this label. To the extent consistent with applicable law, there are no expressed or implied warranties of merchantability or fitness for any particular purpose, except as specifically stated herein. Manufacturer shall not be liable for any consequential damages based on the use of the product.

InVict and Creating the future of Pest Control are trademarks of Rockwell Labs Ltd. ©2016 V.0616-121708



ACCEPTED
FOR REGISTRATION

July 29, 2016

New York State Department
of Environmental Conservation
Division of Materials Management
Pesticide Product Registration

(Directions continued from top panel)
Insert the syringe tip directly into the crack and apply about 0.5g (pea size) amount of bait.
Do not apply bait to areas that are washed down frequently, such as in cracks around the edges of food prep surfaces. Do not apply bait in areas where there is a risk of electrical shock. Be careful not to apply bait on hot surfaces or other areas where the temperature may exceed 130 °F as the bait could melt and drip. Bait placements should be in concealed, not open areas. Do not spray insecticides or other chemicals over bait placements, as this may cause roaches not to eat the bait. Apply bait out of reach of children and pets. Inspect bait placements periodically and reapply bait as needed. Ongoing monitoring is recommended as part of an Integrated Pest Management program.

Food Processing and Handling Establishments, Including Federally-Inspected Food Plants: In food areas, including serving areas while the establishment is in operation, only apply bait in cracks, crevices, and other inaccessible areas, or in tamper-resistant bait stations. Follow above directions for crack feedstuffs. Never apply bait directly to a surface where food is stored, prepared or served. Any bait that is left visible after treatment must be washed up.
Outdoor Use: Apply bait on the outside surfaces of buildings and other structures, as well as in crawlspaces, attics and other voids. Porches, garages, sheds, A/C units and other outbuildings, fences or walls may also need treatment. Pay particular attention to cracks where roaches may enter buildings and treat those areas.

Storage and Disposal
Do not contaminate water, food or feed by storage or disposal.
Storage: Store in a dry place. Do not store where children or animals may gain access.
Disposal: If empty: Non-refillable container. Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP which is managed as a public-private partnership.

These areas include but aren't limited to cracks around windows, doors, eaves and soffits, expansion joints, and areas where lines or pipes enter buildings. Under siding and molding are also attractive areas for insects to hide. Apply bait in spots or lines as indicated for indoor baiting.

baseboards are peeling away from the wall, cracks in and around equipment and appliances such as stoves, sinks, dishwashers, refrigerators and walk-in coolers, hollow table legs, areas where pipes come through walls, cracks between different construction elements, around electrical boxes, cracks around hinges, where cabinets meet walls and cracks leading into wall, ceiling or floor voids. Pay particular attention to cracks which lead into void areas, even small ones. Also specifically look for warm, moist areas, tubs and toilets and around drain openings are particularly attractive areas for roaches. *(Directions continued on back panel)*

It is a violation of federal law to use this product in a manner inconsistent with its labeling.
Use Sites: In and around structures, including, but not limited to, residential, multi-family, commercial, industrial, municipal, institutional, research, recreational, health care, educational, daycare, hospitality and agricultural buildings and other man-made structures, garages, transport vehicles, sewers, animal rearing and handling establishments and food handling and food processing establishments.

Indoor Use: Results will be best if spilled food and other debris are cleaned up before applying bait. Apply bait in small spots about 1/4" in diameter. Bait can also be applied in thin lines if appropriate. For most infestations, applications should range from 10 to 20 spots per 100 square feet. Use the higher number of spots when infestations are heavy and/or when roaches are living primarily in wall voids or other inaccessible areas. Smaller, more frequent spots are better than occasional large spots.
Look for areas, particularly cracks and crevices, where roaches may hide or enter buildings. Some of these areas include areas where

**STOP - READ LABEL BEFORE USE
KEEP OUT OF REACH OF CHILDREN
CAUTION**

EPA Reg. No. 73079-10 · EPA Est. No. 73079-MO-I
Net Contents: 1.25 oz (35 g) Bait Syringe

Active Ingredient: Imidacloprid.....2.15%
Other Ingredients:.....97.85%
Total:.....100.00%

Manufactured by:

Rockwell Labs Ltd.
creating the future of pest control

1257 Bedford Ave, North Kansas City, MO 64116
www.rockwelllabs.com



warranty expressed or implied, concerning the use of this product other than as indicated on the label. Buyer accepts this material subject to these terms, and assumes all risk of usage and handling except when used or handled in accordance with this label. To the extent consistent with applicable law, there are no expressed or implied warranties of merchantability or fitness for any particular purpose, except as specifically stated herein. Manufacturer shall not be liable for any consequential damages based on the use of the product.

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals:
CAUTION: Causes slight skin and eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after use and before eating, drinking, chewing gum, using tobacco or using the toilet.

Warranty Limitations and Disclaimer
To the extent consistent with applicable law, seller makes no

InVict and Creating the Future of Pest Control are trademarks of Rockwell Labs Ltd. ©2016 Rockwell Labs Ltd V.0616-121708

InVict
Gold
cockroach gel

**Kills German Roaches
For Indoor and
Outdoor Use
Ready-To-Use Bait**

InVict GoldTM cockroach gel

Kills German Roaches

Ready-to-Use Bait

For Indoor and Outdoor Use



ACCEPTED
FOR REGISTRATION
July 29, 2016

New York State Department
of Environmental Conservation
Division of Materials Management
Product Registration

Stop – Read Label Before Use KEEP OUT OF REACH OF CHILDREN CAUTION

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals:
CAUTION: Causes slight skin and eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after use and before eating, drinking, chewing gum, using tobacco or using the toilet.

Active Ingredient: Imidacloprid.....2.15%
Other Ingredients:.....97.85%
Total:.....100.00%

EPA Reg. No.: 73079-10
EPA Est. No.: 73079-MO-1
Net Contents: 300g (10.6 oz)

Manufactured by:
Rockwell Labs Ltd
creating the future of pest control

1257 Bedford Ave,
North Kansas City, MO 64116
www.rockwelllabs.com

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Use Sites: In and around structures, including, but not limited to, residential, multi-family, commercial, industrial, municipal, institutional, research, recreational, health care, educational, daycare, hospitality and agricultural buildings and other man-made structures, garages, transport vehicles, sewers, animal rearing and handling establishments and food handling and food processing establishments.

Indoor Use: Results will be best if spilled food and other debris are cleaned up before applying bait. Apply bait in small spots about 1/4" in diameter. Bait can also be applied in thin lines if appropriate. For most infestations, applications should range from 10 to 20 spots per 100 square feet. Use the higher number of spots when infestations are heavy and/or when roaches are living primarily in wall voids or other inaccessible areas. Smaller, more frequent spots are better than occasional large spots.

Look for areas, particularly cracks and crevices, where roaches may hide or enter buildings. Some of these areas include areas where baseboards are peeling away from the wall, cracks in and around equipment and appliances such as stoves, sinks, dishwashers, refrigerators and walk-in coolers, hollow table legs, areas where pipes come through walls, cracks between different construction elements, around electrical boxes, cracks around hinges, where cabinets meet walls and cracks leading into wall, ceiling or floor voids. Pay particular attention to cracks which lead into void areas, even small ones. Also specifically look for warm, moist areas. Around and under dishwashers, refrigerators, ice machines, sinks, tubs and toilets and

around drain openings are particularly attractive areas for roaches. Insert the syringe tip directly into the crack and apply about 0.5g (pea size) amount of bait.

Do not apply bait to areas that are washed down frequently, such as in cracks around the edges of food prep surfaces. Do not apply bait in areas where there is a risk of electrical shock. Be careful not to apply bait on hot surfaces or other areas where the temperature may exceed 130 °F as the bait could melt and drip. Bait placements should be in concealed, not open areas. Do not spray insecticides or other chemicals over bait placements, as this may cause roaches not to eat the bait. Apply bait out of reach of children and pets. Inspect bait placements periodically and reapply bait as needed. Ongoing monitoring is recommended as part of an Integrated Pest Management program.

Food Processing and Handling Establishments, Including Federally-Inspected Food Plants: In food areas, including serving areas while the establishment is in operation, only apply bait in cracks, crevices, and other inaccessible areas, or in tamper-resistant bait stations. Follow above directions for crack and crevice placement. Avoid contamination of food and feedstuffs. Never apply bait directly to a surface where food is stored, prepared or served. Any bait that is left visible after treatment must be washed up.

Outdoor Use: Apply bait on the outside surfaces of buildings and other structures, as well as in crawlspaces, attics and other voids. Porches, garages, sheds, AC units and other outbuildings, fences or walls may also need treatment. Pay particular attention to cracks where roaches may enter buildings and treat those areas. These

areas include but aren't limited to cracks around windows, doors, eaves and soffits, expansion joints, and areas where lines or pipes enter buildings. Under siding and molding are also attractive areas for insects to hide. Apply bait in spots or lines as indicated for indoor baiting.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a dry place. Do not store where children or animals may gain access.

Disposal: If empty: Non-refillable container. Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP which is managed as a public-private partnership.

Warranty Limitations and Disclaimer

To the extent consistent with applicable law, seller makes no warranty expressed or implied, concerning the use of this product other than as indicated on the label. Buyer accepts this material subject to these terms, and assumes all risk of usage and handling except when used or handled in accordance with this label. To the extent consistent with applicable law, there are no expressed or implied warranties of merchantability or fitness for any particular purpose, except as specifically stated herein. Manufacturer shall not be liable for any consequential damages based on the use of the product.



ACCEPTED
FOR REGISTRATION

July 29, 2016

New York State Department
of Environmental Conservation
Division of Materials Management
Pesticide Product Registration

InVict^{Gold}TM cockroach gel

For Indoor & Outdoor Use • Ready-to-Use Bait

EPA Reg.: No. 73079-10
EPA Est. No.: 73079-MO-1
Net Contents: 35 g (1.25 oz)

Active Ingredient: Imidacloprid.....2.15%
Other Ingredients:.....97.85%
Total:.....100.00%

Stop - Read Label Before Use

KEEP OUT OF REACH OF CHILDREN
CAUTION

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals:

CAUTION: Causes slight skin and eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after use and before eating, drinking, chewing gum, using tobacco or using the toilet.

See outer package for Directions for Use and Storage and Disposal.

Manufactured by:

 **Rockwell Labs Ltd.**
creating the future of pest control

North Kansas City, MO 64116
Phone: 816-283-3167 • www.rockwelllabs.com